

Shenzhen, China

# PROFESSIONAL MANUFACTURER OF LITHIUM-ION BATTERY SOLUTIONS

Over 20 years experience in customization of lithium batteries leading the new tendency of the industry.

# CATALOGUE

Over 20 years experience in customization of lithium batteries, leading the new tendency of the industry.

	1	
U		

#### **Company Profile**

Core Value	 4
Partners	 6
Milestones	8
Advantages	1

02

#### **Products**

ion Battery Cells & Packs	 12
fepo4 Battery Cells & Packs	14
Polymer Battery Cells & Packs	 16
odium-ion Battery Cells & Packs	 18
necial Batteries	 20

03

### **Application Direction**

Drones Power Solution ————————————————————————————————————	22
Security Power Solution	24
Medical Devices Power Solution	26
Consumer Battery	28
Solar Lighting Power Solution	30
Robots Power Solution ————————————————————————————————————	32
Lead-Acid Replacement Battery for RV a <del>nd Golf Car</del>	34

## **COMPANY PROFILE**

SHENZHEN PKNERGY ENERGY CO., LTD, is a leading provider of custom lithium battery solutions and solar energy storage systems. With over 20 years of expertise in lithium battery customization, PKNERGY delivers a diverse range of high-quality, multi-category, multi-model, and multi-batch power solutions tailored to clients' unique project needs.

As a high-tech enterprise at the forefront of the green energy sector, PKNERGY has established a global footprint across more than 100 countries, supported by offices in Toronto, Canada, and Los Angeles, USA. The company proudly holds over 12 national patents in lithium battery technology and certifications including TUV, CE, EN62619, UL1973, and IEC62040, underscoring its commitment to quality and innovation.

PKNERGY has facilitated power upgrades for thousands of smart products through its advanced energy solutions and forged successful partnerships with over 10000 global clients. Together, PKNERGY and its partners drive mutual growth, technological innovation, and a sustainable energy future.

























#### **WORKSHOP**

Our workshop features advanced automated machinery and a dust-free environment, ensuring efficient, precise, and high-quality battery production. With well-organized production lines and trained staff, we guarantee stable delivery and strict quality control.

#### **CERTIFICATIONS**

We hold international certifications like CE, SGS, and UL, proving our batteries meet global standards for safety, performance, and environmental compliance, providing reliable solutions for our customers.

## **PKNERGY MILESTONES**

(1998-2024)

2016

The Group established subsidiaries in Toronto, Canada, and Los Angeles, USA. The company rapidly expanded in scale, solidifying PKNERGY's position as a leading global battery brand.

1998

PKNERGY was established as a subsidiary of the PKCELL Group, focusing on the research and production of lithium batteries.

2018

PKNERGY increased its R&D efforts in lithium batteries, achieving significant technological breakthroughs. The company received multiple industry innovation awards over consecutive years, becoming a leader in high-energy, high-value, and high-quality batteries

2006

The company obtained ISO9001 Quality Management System certification and officially launched its first rechargeable battery production line, laying a solid foundation for the development of lithium battery products.

2021

PKNERGY established a High-Rate Lithium-Ion Battery Engineering Technology Research Center, further strengthening its technological leadership in the lithium battery industry.

2009

With PKCELL Group's successful entry into the international market, PKNERGY seized the opportunity to expand its presence in Europe, the Americas, Asia, Africa, and Oceania, achieving initial global market coverage.

2024

PKNERGY continued to drive innovation and market expansion, successfully developing a new generation of wide-temperature lithium batteries. These products are widely applied across various fields, further consolidating the company's leading position in the global lithium battery market.

# **COOPERATION PARTNERS**






















## Cell-Module-Pack







## Li ion Battery Cells & Packs

PKNERGY offers lithium-ion cells and custom battery packs, providing flexible customization options to meet the specific requirements of your products.

















# Pknergy's Li ion Battery Cells & Packs Advantages







Туре	Model (ICR)	Voltage (V)	Capacity (mAh)	Dimension (mm)	Weight Approx (g)
	18350	3.7	900	18.3*35.2	21
	18500	3.7	1600	18.3*50.2	36
	18620	3.7	2000	18.3*62.2	40
	18650	3.7	2600	18.5*65.2	45
	18650	3.7	2000	18.5*65.2	40
	21700	3.7	5000	21.5*70.2	50
	22430	3.7	2000	21.5*43.2	45
	22500	3.7	2400	22.3*50.2	46
Capacity	22650	3.7	3000	22.3*65.2	48
Type	26350	3.7	2000	26.5*35.2	48
	26500	3.7	3200	26.3*50.2	52
	26650	3.7	5000	26.3*65.2	56
	26650	3.7	4500	26.3*65.2	55
	32550	3.7	5000	32.5*60 2	52
	32600	3.7	5500	32.5*60.5	56
	32650	3.7	6500	32.3*65.2	58
	34600	3.7	7000	34.3*60.2	60
	14250	3.7	240	14.2*25	10
	14500	3.7	650	14.2*50.2	18.5
	14650	3.7	900	14.2*65.2	20
	16340	3.7	600	16.8*34	17
	16500	3.7	800	16.8*50.2	18
	18350	3.7	700	18.3*35.2	18
5C/10C	18500	3.7	1100	18.3*50.2	38
ischarge	18650	3.7	1500	18.3*65.2	40
	18650	3.7	2200	18.5*65.2	43
	18650	3.7	2000	18.5*65.2	42
	21700	3.7	3000	21.5*70.2	50
	22650	3.7	2000	23.5*65.2	48
	26500	3.7	2000	26.3*50.2	52
	26650	3.7	3400	26.5*65.2	56




















Lithium Iron Phosphate (LiFePO4) batteries are known for their exceptional safety, long lifespan, and reliability. Available as standalone cells or as integrated packs, they cater to a wide range of applications, from electric vehicles to renewable energy storage. The flexibility of LiFePO4 battery packs allows for custom configurations to meet specific voltage, capacity, and power requirements.















#### LifePo4 Battery Cells & Packs

- Long LifespanHigh Safety







D-11	Model	Nominal Voltage	Nominal Capacity	Charging Current		Disharging Current			Dimension	Weight Approx
Battery Type		(V)	(Ah)	Standard	Max	Standard	Fast	Max	(mm)	(g)
	IFR10440-200mAh	3.2	200	0.5C	1C	0.5C	1C	3C	φ10.3*44.2	7
	IFR14500-600mAh	3.2	600	0.5C	1C	0.5C	1C	3C	φ14.2*50 2	17
	IFR14650-800mAh	3.2	800	0.5C	1C	0.5C	1C	3C	φ14.2*65.3	21
Cylindrical	IFR18500-1000mAh	3.2	1000	0.5C	1C	0.5C	1C	3C	φ18.1*50.2	32
	IFR18650-1500mAh	3.2	1500	0.5C	1C	0.5C	1C	3C	φ18.3*65.5	42
	IFR22650-2000mAh	3.2	2000	0.5C	1C	0.5C	1C	3C	φ22.5*65.3	62
	IFR32600-4000mAh	3.2	4000	2C	1C	0.5C	1C	3C	φ32.5*60.5	125
	IFR32650-6000mAh	3.2	6000	1C	1C	0.5C	1C	3C	φ32.3*65.2	141
Battery	IFR32700-7000mAh	3.2	7000	2c	1C	0.5C	1C	3C	φ32.3*70.2	156
	IFR42110-11000mAh	3.2	11000	1C	1C	0.5C	1C	3C	φ42.5*110.5	325
	IFR42120-13000mAh	3.2	13000	2C	1C	0.5C	1C	3C	φ42.5*120.5	355
	IFR61300-50000mAh	3.2	50000	1C	1C	0.5C	1C	3C	φ61*300	2000
	IFR73435-100000mAh	3.2	100000	2C	1C	0.5C	1C	3C	φ73*435	4000

Battery Type	Model	Nominal	Nominal			Disharging Current		Dimension	Weight
		Voltage (V)	Capacity (Ah)	Standard	Max	Standard	Max	(mm)	Approx (g)
	LFP20-20Ah	3.2	20000	0.2C	0.5C	0.5C	1C	10.*117*169	625±10
	LFP25-25Ah	3.2	25000	0.2C	0.5C	0.5C	1C	10*94*249	680±18
	LFP30-30Ah	3.2	30000	0.2C	0.5C	0.5C	1C	7.5*159*270	700±18
LFP50F-50	LFP50-50Ah	3.2	50000	0.2C	0.5C	0.5C	1C	40*149*102	1330±50
	LFP50F-50Ah	3.2	50000	0.2C	0.5C	0.5C	1C	27*148*129	1050±100
	LFP50K-50Ah	3.2	50000	0.2C	0.5C	0.5C	1C	29*135*185	1395±50
Li-FePO4	LFP50M-50Ah	3.2	50000	0.2C	0.5C	0.5C	1C	11*165*260	1330±100
Battery	LFP80-82Ah	3.2	82000	0.2C	0.5C	0.5C	1C	36*130*170	1680±50
	LFP90-90Ah	3.2	90000	0.2C	0.5C	0.5C	1C	36*130*200	1994±50
	LFP100-100Ah	3.2	100000	0.2C	0.5C	0.5C	1C	48*173*133	2110±100
	LF100L-100Ah	3.2	100000	0.2C	0.5C	0.5C	1C	36*130*200	1980±50
	LFP105-105Ah	3.2	105000	0.2C	0.5C	0.5C	1C	50*160*118	1980±100
	LFP105K-105Ah	3.2	105000	0.2C	0.5C	0.5C	1C	54*173*113	1980±100
















## Li Polymer Battery Cells & Packs

PKNERGY offers Li-Polymer Batteries over 5000 models, thickness range from 0.4mm to 14mm, capacity range from 8mAh to 10000mAh+. With Round,Ultra-Thin, Cylindrical in different shape, making them suitable for a variety of applications where space and weight are critical factors.

















## Advantages of Pknergy's Li Polymer Battery Cells & Packs

- High Energy DensitySafety and Stability







Model	Noninal Capacity (mAh)	Capacity (mAh)	Inner Resistance (mΩ)	Dimension (mm)		Working Temperature (°C)	
261012PL	12	3.7	1550	2.6	10	12	-10~+45
601015PL	50	3.7	380	6	10	15	-10~+45
501020PL	70	3.7	290	5	10	20	-10~+45
401024PL	67	3.7	330	4	10	24	-10~+45
501024PL	80	3.7	270	5	10	24	-10~+45
401017PL	40	3.7	470	4	10	17	-10~+45
481027PL	100	3.7	220	4.8	10	27	-10~+45
301030PL	60	3.7	350	3	10	30	-10~+45
501050PL	200	3.7	150	5	10	50	-10~+45
601119PL	95	3.7	240	6	11	19	-10~+45
401230PL	120	3.7	200	4.5	12	30	-10~+45
302023PL	100	3.7	240	3	20	23	-10~+45
602023PL	220	3.7	140	6	20	23	-10~+45
602024PL	250	3.7	120	6	20	24	-10~+45
402025PL	150	3.7	160	4	20	25	-10~+45
602025PL	250	3.7	120	6	20	25	-10~+45
402030PL	180	3.7	140	4	20	30	-10~+45
552035PL	350	3.7	98	5.5	20	35	-10~+45
503035PL	500	3.7	90	5	30	35	-10~+45
603048PL	850	3.7	70	6	30	48	-10~+45

















Sodium-ion batteries have good safety and strong low-temperature performance, and are particularly suitable for large-scale energy storage, low-cost electric vehicles and applications in cold















#### Advantages of Pknergy's Sodium-ion Battery

- Readily available
- High rate charge & discharge
- Low-temperature performance







Product Model	Rated Capacity	Energy Density	Voltage Range	Maximum Discharge Rate	Cycle Life	Technical Features	Application Field
Pk-na-50Ah	50Ah	130Wh/kg	1.5-4V	60	3 000 (0.500/0%)	Сарьціх Турк	Special veh <b>icles</b>
Pk-na-70Ah	70Ah	130Wh/kg	1.5-4V		55() (4.5C@80%)	Capacity Typ.	Communication Base Stations & Backup <sup>17</sup> Mer
Pk-na-70Ah	70Ah	130Wh/kg	1.5-4V	6C	3500 (0.5C@80%)	Pere Tipe	Special Venicles
Pk-na-80Ah	80Ah	145Wh/kg	1.5-4V	6C	3500 (0.5C@80%)	Long Cycle Life & High Capacity	Communication Base Stations & Backup Power
Pk-na-80Ah	80Ah	140Wh/kg	1.5-4V	6C	3500 (0.5C@80%)	Long Cycle Life & High Capacity	Communication Base Stations & Backup Power
Pk-na-100Ah	100Ah	150Wh/kg	1.5-4V	6C	3500 (0.5C@80%)	Long Cycle Life & High Capacity	Communication Base Stations & Backup Power
Pk-na-100Ah	160Ah	110Wh/kg	1.5-3.8V	6C	8000 (0.5C@70%)	Long Cycle Life & High Capacity	Energy Storage











CE (a) (1001) UN38.3













#### Advantages of Pknergy's Special Battery

- Flexible Design
- High Energy Density
- Low Self-Discharge Rate

Portable Wireless Devices

- Lightweight
- Fast Charging

## **Applications**

**Ultra-Thin Batteries** 



## **Special Battery**

Pknergy offers customized battery solutions, including curved battery, high rate discharge batteries, Ultra-wide temperature battery, high temperature lithium batteries, low temperature batteries, and ultra thin batteries. These solutions are designed to meet specific application needs, providing reliable and efficient power for various industries, from high-performance devices to extreme environmental conditions.



- Long flight time with high energy density.
- Fast charging and stable power output.
- Lightweight for improved maneuverability and efficiency.

#### **Features:**

- High discharge rate for demanding applications.
- Safe with advanced protection circuitry.
- Wide operating temperature range for various conditions.

#### **Basic Specifications**

- Voltage: 3.7V, 7.4V, 11.1V, 14.8V (Customizable)
- Capacity: 1000mAh to 20000mAh

• C Rating: 10C - 50C

#### **Application Scenario**



Military Drones



**Photographic Drone** 



**Agricultural Drone** 



**Commercial Drone** 



**Cargo Drone** 



- Stable and long-lasting power.
- Low self-discharge for long-term storage.
- Reliable performance in cold climates with low-temperature resistance.

#### **Features:**

- Compact design for easy integration.
- Overcharge, over-discharge, and short-circuit protection.
- Consistent power output for surveillance applications.

#### **Basic Specifications**

- Voltage: 3.7V, 12V, 24V (Customizable)
- Capacity: 5Ah to 50Ah

- C Rating: >1C 3C
- Working Temperature: 0°C 45°C



**Monitoring Equipment** 



**Alarm System** 



**Access Control** 



Sensor



**Telecommunication equipment** 



- High reliability for life-saving medical devices.
- Long cycle life for minimal maintenance.
- Lightweight, easy to integrate into portable equipment.

#### **Features:**

- Safe with built-in protection circuitry.
- Fast discharge rate for medical instruments.
- Temperature and shock-resistant for medical environments.

#### **Basic Specifications**

- Voltage: 3.7V, 7.4V, 11.1V, 24V (Customizable)
- Capacity: 500mAh to 10000mAh

C Rating:1C-3C



**Ventilator / Respirator** 



**Diagnostic Equipment** 



**Electronic Blood Pressure Monitor** 



**Syringe Pump** 



Portable Ultrasonograph



- Extended usage time for portable devices.
- Fast charging for convenience and efficiency.
- Compact and lightweight for easy integration.

#### **Features:**

- High energy density for longer battery life.
- Suitable for various consumer electronics.
- Safe with protection against overcharge and overheating.

#### **Basic Specifications**

- Voltage: 3.7V, 7.4V, 11.1V, 24V (Customizable)
- Capacity: 500mAh to 10000mAh

C Rating: 0.5C-5C



Ventilator / Respirator



**Diagnostic Equipment** 



Electric Litter Pan



**Electric Toothbrush** 



Portable Ultrasonograph



- Long-lasting power for lighting systems.
- Excellent performance in extreme temperatures.
- Safe and efficient for outdoor and emergency use.

#### **Features:**

- Deep discharge capability for prolonged use.
- Overcharge protection for safety.
- Ideal for solar-powered lighting.

#### **Basic Specifications**

- Voltage: 3.7V, 12V, 24V
- Capacity: 500mAh to 20000mAh

• Cycle life: > 1500 cycles



Headlamp



**Garden Lighting** 



Street Lighting



Garage Light



- High discharge rate for continuous, reliable operation.
- Compact size ideal for space-constrained robotic applications.
- Long cycle life for reduced maintenance and increased reliability.

#### **Features:**

- Optimized for high-current discharge to support demanding robotic functions.
- Safe, reliable performance for use in industrial settings.
- Resistant to temperature fluctuations and vibration, ensuring stability in harsh environments.

#### **Basic Specifications**

- Voltage: 7.4V, 14.8V, 24V-48V (Customizable)
- Cycle life: > 3000 cycles

- Capacity: 10Ah 100Ah
- Communication design: RS485, RS232, CANBUS etc
- According to the required voltage, capacity and size to design the power solution



Cleaning Robot



**Delivery Robot** 



**Industrial Robots** 



**Medical Robots** 



Food Delivery Robot



- Lighter, more efficient alternative to lead-acid batteries.
- Faster charging and longer life cycle.
- Minimal maintenance and more eco-friendly.

#### **Features:**

- Higher energy density than lead-acid.
- Superior performance in cold and hot temperatures.
- No need for regular water topping or maintenance

#### **Basic Specifications**

- Voltage: 12V, 24V, 48V
- Cycle life: > 6000 cycles

• Capacity: 10Ah to 300Ah



**Electric Forklift** 



**Energy Storage** 



**Golf Car** 



**Data Center** 



Floor Scrubber



- Lighter, more efficient alternative to lead-acid batteries
- Faster charging and longer life cycle.
- Minimal maintenance and more eco-friendly.

#### **Features:**

- Higher energy density than lead-acid.
- Superior performance in cold and hot temperatures.
- No need for regular water topping or maintenance









#### Advantages:

- Robust performance in industrial applications.
- High energy density for energy-intensive machinery.
- Long cycle life with minimal maintenance.







#### **Features:**

- Built for forklifts, cranes, and other industrial tools.
- Operates in extreme temperatures for reliable performance.
- Safe with thermal and current protection.

